PRINTED: 07/16/2009 FORM APPROVED Bureau of Health Care Quality & Compliance STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA (X3) DATE SURVEY (X2) MULTIPLE CONSTRUCTION AND PLAN OF CORRECTION COMPLETED IDENTIFICATION NUMBER: A. BUILDING B. WING NVN3784ADA 06/10/2009 STREET ADDRESS, CITY, STATE, ZIP CODE NAME OF PROVIDER OR SUPPLIER 990 CAMBRIDGE **RIDGE HOUSE III RENO. NV 89502** SUMMARY STATEMENT OF DEFICIENCIES PROVIDER'S PLAN OF CORRECTION (X4) ID ID (X5) COMPLETE (EACH DEFICIENCY MUST BE PRECEDED BY FULL (EACH CORRECTIVE ACTION SHOULD BE **PREFIX PREFIX** DATE REGULATORY OR LSC IDENTIFYING INFORMATION) CROSS-REFERENCED TO THE APPROPRIATE TAG TAG DEFICIENCY) D 000 D 000 **Initial Comment** The findings and conclusions of any investigation by the Health Division shall not be construed as prohibiting any criminal or civil investigations, actions or other claims for relief that may be available to any party under applicable federal, state or local laws. This Statement of Deficiencies was generated as a result of the State Licensure survey conducted at your facility on 6/10/09. This State Licensure survey was conducted by the authority of NRS 449.150, Powers of the Health Division. The facility is licensed for six residential program beds for the treatment of abuse of alcohol and drugs. The census at the time of the survey was six. Six resident files and three employee files were reviewed. One discharged resident file was reviewed. D 035 D 035 NAC 449.098(3)) Preparations for disaster SS=F 3. Each facility shall conduct a disaster drill at least annually, and a written record of each drill must be retained in the facility for not less than 12 months after the drill is conducted. This Regulation is not met as evidenced by:

If deficiencies are cited, an approved plan of correction must be returned within 10 days after receipt of this statement of deficiencies.

TITLE

(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

Based on record review on 6/10/09, the facility had not conducted an annual disaster drill in the

The fire drill log was reviewed, but did not contain any evidence the facility conducted an annual disaster drill in the previous twelve months.

previous twelve months.

Findings include:

PRINTED: 07/16/2009 FORM APPROVED Bureau of Health Care Quality & Compliance STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA (X3) DATE SURVEY (X2) MULTIPLE CONSTRUCTION AND PLAN OF CORRECTION COMPLETED IDENTIFICATION NUMBER: A. BUILDING B. WING NVN3784ADA 06/10/2009 STREET ADDRESS, CITY, STATE, ZIP CODE NAME OF PROVIDER OR SUPPLIER 990 CAMBRIDGE **RIDGE HOUSE III RENO. NV 89502** SUMMARY STATEMENT OF DEFICIENCIES PROVIDER'S PLAN OF CORRECTION (X4) ID ID (X5) COMPLETE (EACH DEFICIENCY MUST BE PRECEDED BY FULL (EACH CORRECTIVE ACTION SHOULD BE PREFIX **PREFIX** DATE REGULATORY OR LSC IDENTIFYING INFORMATION) CROSS-REFERENCED TO THE APPROPRIATE TAG TAG DEFICIENCY) D 035 D 035 Continued From page 1 Severity: 2 Scope: 3 NAC 449.105 Insurance D 042 D 042 SS=C Liability insurance in a sufficient amount to protect clients, members of the staff, volunteers, and visitors, must be maintained. A certificate of insurance must be furnished to the health division. The certificate must include provision for 30 days notice to the division of cancellation or the nonrenewal of the policies. This Regulation is not met as evidenced by: Based on record review and interview on 6/10/09, the facility failed to provide a current copy of a certificate of liability insurance for review. Findings include: A current certificate of liability was not available in the facility for review. Employee #3 was asked to have someone in the main office fax the certificate to the Bureau by 6/12/09. As of 6/17/09, the Bureau has not received the certificate and is unable to determine if the facility has a current certificate of liability insurance. Severity: 1 Scope: 3 D 094 D 094 NAC 449.114(9)(f) Employees SS=A 9. A personnel record must be maintained for

each employee. The record must contain: (f) Job performance evaluations;

This Regulation is not met as evidenced by: Based on record review on 6/10/09, the facility did not perform a job performance evaluation on

PRINTED: 07/16/2009

FORM APPROVED Bureau of Health Care Quality & Compliance STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA (X3) DATE SURVEY (X2) MULTIPLE CONSTRUCTION AND PLAN OF CORRECTION COMPLETED IDENTIFICATION NUMBER: A. BUILDING B. WING NVN3784ADA 06/10/2009 STREET ADDRESS, CITY, STATE, ZIP CODE NAME OF PROVIDER OR SUPPLIER 990 CAMBRIDGE **RIDGE HOUSE III RENO. NV 89502** SUMMARY STATEMENT OF DEFICIENCIES PROVIDER'S PLAN OF CORRECTION (X4) ID ID (X5) COMPLETE (EACH DEFICIENCY MUST BE PRECEDED BY FULL (EACH CORRECTIVE ACTION SHOULD BE **PREFIX PREFIX** DATE REGULATORY OR LSC IDENTIFYING INFORMATION) CROSS-REFERENCED TO THE APPROPRIATE TAG TAG DEFICIENCY) D 094 Continued From page 2 D 094 1 of 3 employees. Findings include: Employee #1 - Rehire date was 11/11/06. The last annual performance evaluation was dated 5/27/08. Severity: 1 Scope: 1 D 100 NAC 449.117 Physical Examinations D 100 SS=F All persons employed in a facility must have documentation showing that they are in compliance with any applicable provisions of chapter 441A of NAC concerning tuberculosis. This Regulation is not met as evidenced by: NAC 441A.375 Medical facilities, facilities for the dependent and homes for individual residential care: Management of cases and suspected cases; surveillance and testing of employees; counseling and preventive treatment. (NRS 441A.120) 3. Before initial employment, a person employed in a medical facility, a facility for the dependent or a home for individual residential care shall have (a) Physical examination or certification from a licensed physician that the person is in a state of good health, is free from active tuberculosis and any other communicable disease in a contagious stage.

Based on record review on 6/10/09, the facility did not ensure that 1 of 3 employees met the requirements of NAC 441A.375 concerning

tuberculosis (TB).

PRINTED: 07/16/2009 FORM APPROVED Bureau of Health Care Quality & Compliance STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA (X3) DATE SURVEY (X2) MULTIPLE CONSTRUCTION AND PLAN OF CORRECTION COMPLETED IDENTIFICATION NUMBER: A. BUILDING B. WING NVN3784ADA 06/10/2009 STREET ADDRESS, CITY, STATE, ZIP CODE NAME OF PROVIDER OR SUPPLIER 990 CAMBRIDGE **RIDGE HOUSE III RENO. NV 89502** SUMMARY STATEMENT OF DEFICIENCIES PROVIDER'S PLAN OF CORRECTION (X4) ID ID (X5) COMPLETE (EACH DEFICIENCY MUST BE PRECEDED BY FULL (EACH CORRECTIVE ACTION SHOULD BE **PREFIX PREFIX** DATE REGULATORY OR LSC IDENTIFYING INFORMATION) CROSS-REFERENCED TO THE APPROPRIATE TAG TAG DEFICIENCY) D 100 Continued From page 3 D 100 Findings include: Employee #2's hire date was 10/15/07. Her file did not contain a copy of a physical examination or certification from a physician that the employee was in a state of good health, was free from active tuberculosis and any other communicable diseases in a contagious stage. Severity: 2 Scope: 3 D 132 NAC 449.129(3) Construction Standards D 132 SS=F 3. Facilities housing 17 or more clients must meet the requirements of the chapter entitled " New Hotels and Dormitories, " of the edition of NFPA 101: Life Safety Code, adopted by reference pursuant to NAC 449.0105. Those facilities housing not more than 16 clients must meet the requirements of the chapter entitled "Lodging or Rooming Houses, " of the edition of NFPA 101: Life Safety Code, adopted by reference pursuant to NAC 449.0105. This Regulation is not met as evidenced by: National Fire Protection Association 101 Life Safety Code 2006 edition Chapter 26 Lodging or Rooming Houses.

If deficiencies are cited, an approved plan of correction must be returned within 10 days after receipt of this statement of deficiencies.

26.3.4 Detection, Alarm, and Communications

26.3.4.1.1 Lodging and rooming houses, other than those meeting 26.3.4.1.2, shall be provided

Systems.

PRINTED: 07/16/2009 FORM APPROVED Bureau of Health Care Quality & Compliance STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA (X3) DATE SURVEY (X2) MULTIPLE CONSTRUCTION AND PLAN OF CORRECTION COMPLETED IDENTIFICATION NUMBER: A. BUILDING B. WING NVN3784ADA 06/10/2009 STREET ADDRESS, CITY, STATE, ZIP CODE NAME OF PROVIDER OR SUPPLIER 990 CAMBRIDGE **RIDGE HOUSE III RENO. NV 89502** SUMMARY STATEMENT OF DEFICIENCIES PROVIDER'S PLAN OF CORRECTION (X4) ID ID (X5) COMPLETE (EACH DEFICIENCY MUST BE PRECEDED BY FULL (EACH CORRECTIVE ACTION SHOULD BE PREFIX **PREFIX** DATE REGULATORY OR LSC IDENTIFYING INFORMATION) CROSS-REFERENCED TO THE APPROPRIATE TAG TAG DEFICIENCY) Continued From page 4 D 132 D 132 with a fire alarm system in accordance with Section 9.6. 9.6 Fire Detection, Alarm, and Communications Systems. 9.6.1.5 To ensure operational integrity, the fire alarm system shall have an approved maintenance and testing program complying with the applicable requirements of NFPA 70, National Electrical Code and NFPA 72, National Fire Alarm Code. NFPA 72 National Fire Alarm Code requires annual testing and certification by a person qualified to test and certify the system. Based on observations on 6/10/09, the facility failed to comply with the National Fire Protection Association (NFPA) 101 Life Safety Code (LSC) 2006 edition. Findings include: The inspection tag on the facility's fire alarm was expired. The tag was dated 2/14/08. Severity: 2 Scope: 3 D 215 D 215 NAC 449.141(7) Health Services SS=F 7. There must be one staff person in the facility who is capable of providing cardiopulmonary

resuscitation at all times. Staff members

recognized agency.

providing cardiopulmonary resuscitation must be qualified by the American Red Cross or another

This Regulation is not met as evidenced by: Based on record review on 6/10/09, the facility

PRINTED: 07/16/2009 FORM APPROVED Bureau of Health Care Quality & Compliance STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA (X3) DATE SURVEY (X2) MULTIPLE CONSTRUCTION AND PLAN OF CORRECTION COMPLETED IDENTIFICATION NUMBER: A. BUILDING B. WING NVN3784ADA 06/10/2009 STREET ADDRESS, CITY, STATE, ZIP CODE NAME OF PROVIDER OR SUPPLIER 990 CAMBRIDGE **RIDGE HOUSE III RENO, NV 89502** SUMMARY STATEMENT OF DEFICIENCIES PROVIDER'S PLAN OF CORRECTION (X4) ID ID (X5) COMPLETE (EACH DEFICIENCY MUST BE PRECEDED BY FULL (EACH CORRECTIVE ACTION SHOULD BE PREFIX **PREFIX** DATE REGULATORY OR LSC IDENTIFYING INFORMATION) CROSS-REFERENCED TO THE APPROPRIATE TAG TAG DEFICIENCY) D 215 Continued From page 5 D 215 did not ensure that 3 of 3 staff persons had evidence of cardiopulmonary resuscitation training (CPR). Findings include: Employee #1's file contained an expired CPR card dated 2/16/09. Employee #2's and #3's file contained expired CPR cards dated 5/16/09. Severity: 2 Scope: 3 D 217 D 217 NAC 449.141(9) Health Services SS=D 9. Each facility shall maintain and have readily available first-aid supplies. Staff members shall have evidence that they have received training on the use of first-aid supplies. This Regulation is not met as evidenced by: Based on record review on 6/10/09, the facility did not ensure that 1 of 3 staff persons had evidence of first aid training. Findings include:

If deficiencies are cited, an approved plan of correction must be returned within 10 days after receipt of this statement of deficiencies.

Employee #1's file contained a first aid certificate from PGM Safety Services. The certificated indicated the class was held on 2/16/07, but the certificate did not provide an expiration date.

Severity: 2 Scope: 1